


LY7801-48x75


- · Shatter-proof and water-resistant film bonded onto the glass
- · Bypass sliding door for both left and right side access
- 3/8" (10mm) thick certified clear tempered glass
- · Premium 304 stainless steel hardware to provide smooth and silent sliding
- Up to 5" in width adjustment to fit your opening
- · Designed and manufactured to be easily installed





LY7801-54x75


- · Shatter-proof and water-resistant film bonded onto the glass
- Bypass sliding door for both left and right side access
- 3/8" (10mm) thick certified clear tempered glass
- · Premium 304 stainless steel hardware to provide smooth and silent sliding
- Up to 5" in width adjustment to fit your opening
- · Designed and manufactured to be easily installed





LY7801-60x75

- · Shatter-proof and water-resistant film bonded onto the glass
- · Bypass sliding door for both left and right side access
- 3/8" (10mm) thick certified clear tempered glass
- · Premium 304 stainless steel hardware to provide smooth and silent sliding
- Up to 5" in width adjustment to fit your opening
- · Designed and manufactured to be easily installed





LY7801-66x75

- · Shatter-proof and water-resistant film bonded onto the glass
- · Bypass sliding door for both left and right side access
- 3/8" (10mm) thick certified clear tempered glass
- · Premium 304 stainless steel hardware to provide smooth and silent sliding
- Up to 5" in width adjustment to fit your opening
- · Designed and manufactured to be easily installed

